

T2 Alpha[®]

Tibia Nailing System

System components



T2 Alpha Tibia



Tibial Nail

Ref #	Diameter (mm)	Length (mm)	Ref #	Diameter (mm)	Length (mm)
2341-0824S	Ø8.0	240.0	2341-1124S	Ø11.0	240.0
2341-0825S	Ø8.0	255.0	2341-1125S	Ø11.0	255.0
2341-0827S	Ø8.0	270.0	2341-1127S	Ø11.0	270.0
2341-0828S	Ø8.0	285.0	2341-1128S	Ø11.0	285.0
2341-0830S	Ø8.0	300.0	2341-1130S	Ø11.0	300.0
2341-0831S	Ø8.0	315.0	2341-1131S	Ø11.0	315.0
2341-0833S	Ø8.0	330.0	2341-1133S	Ø11.0	330.0
2341-0834S	Ø8.0	345.0	2341-1134S	Ø11.0	345.0
2341-0836S	Ø8.0	360.0	2341-1136S	Ø11.0	360.0
2341-0837S	Ø8.0	375.0	2341-1137S	Ø11.0	375.0
2341-0839S	Ø8.0	390.0	2341-1139S	Ø11.0	390.0
2341-0840S	Ø8.0	405.0	2341-1140S	Ø11.0	405.0
2341-0842S	Ø8.0	420.0	2341-1142S	Ø11.0	420.0
2341-0924S	Ø9.0	240.0	2341-1224S	Ø12.0	240.0
2341-0925S	Ø9.0	255.0	2341-1225S	Ø12.0	255.0
2341-0927S	Ø9.0	270.0	2341-1227S	Ø12.0	270.0
2341-0928S	Ø9.0	285.0	2341-1228S	Ø12.0	285.0
2341-0930S	Ø9.0	300.0	2341-1230S	Ø12.0	300.0
2341-0931S	Ø9.0	315.0	2341-1231S	Ø12.0	315.0
2341-0933S	Ø9.0	330.0	2341-1233S	Ø12.0	330.0
2341-0934S	Ø9.0	345.0	2341-1234S	Ø12.0	345.0
2341-0936S	Ø9.0	360.0	2341-1236S	Ø12.0	360.0
2341-0937S	Ø9.0	375.0	2341-1237S	Ø12.0	375.0
2341-0939S	Ø9.0	390.0	2341-1239S	Ø12.0	390.0
2341-0940S	Ø9.0	405.0	2341-1240S	Ø12.0	405.0
2341-0942S	Ø9.0	420.0	2341-1242S	Ø12.0	420.0
2341-1024S	Ø10.0	240.0			
2341-1025S	Ø10.0	255.0			
2341-1027S	Ø10.0	270.0			
2341-1028S	Ø10.0	285.0			
2341-1030S	Ø10.0	300.0			
2341-1031S	Ø10.0	315.0			
2341-1033S	Ø10.0	330.0			
2341-1034S	Ø10.0	345.0			
2341-1036S	Ø10.0	360.0			
2341-1037S	Ø10.0	375.0			
2341-1039S	Ø10.0	390.0			
2341-1040S	Ø10.0	405.0			
2341-1042S	Ø10.0	420.0			



Tibial Nail

Ref #	Diameter (mm)	Length (mm)
2341-1324S	Ø13.0	240.0
2341-1325S	Ø13.0	255.0
2341-1327S	Ø13.0	270.0
2341-1328S	Ø13.0	285.0
2341-1330S	Ø13.0	300.0
2341-1331S	Ø13.0	315.0
2341-1333S	Ø13.0	330.0
2341-1334S	Ø13.0	345.0
2341-1336S	Ø13.0	360.0
2341-1337S	Ø13.0	375.0
2341-1339S	Ø13.0	390.0
2341-1340S	Ø13.0	405.0
2341-1342S	Ø13.0	420.0
2341-1424S	Ø14.0	240.0
2341-1425S	Ø14.0	255.0
2341-1427S	Ø14.0	270.0
2341-1428S	Ø14.0	285.0
2341-1430S	Ø14.0	300.0
2341-1431S	Ø14.0	315.0
2341-1433S	Ø14.0	330.0
2341-1434S	Ø14.0	345.0
2341-1436S	Ø14.0	360.0
2341-1437S	Ø14.0	375.0
2341-1439S	Ø14.0	390.0
2341-1440S	Ø14.0	405.0
2341-1442S	Ø14.0	420.0
2341-1524S	Ø15.0	240.0
2341-1525S	Ø15.0	255.0
2341-1527S	Ø15.0	270.0
2341-1528S	Ø15.0	285.0
2341-1530S	Ø15.0	300.0
2341-1531S	Ø15.0	315.0
2341-1533S	Ø15.0	330.0
2341-1534S	Ø15.0	345.0
2341-1536S	Ø15.0	360.0
2341-1537S	Ø15.0	375.0
2341-1539S	Ø15.0	390.0
2341-1540S	Ø15.0	405.0
2341-1542S	Ø15.0	420.0

T2 Alpha Tibia



Compression Screw Tibia

Ref #	Diameter (mm)
2341-0001S	Ø5.5



Locking Screw*

Ref #	Diameter (mm)	Length (mm)	Ref #	Diameter (mm)	Length (mm)
2360-4020S	Ø4.0	20.0	2360-5025S	Ø5.0	25.0
2360-4022S	Ø4.0	22.5	2360-5027S	Ø5.0	27.5
2360-4025S	Ø4.0	25.0	2360-5030S	Ø5.0	30.0
2360-4027S	Ø4.0	27.5	2360-5032S	Ø5.0	32.5
2360-4030S	Ø4.0	30.0	2360-5035S	Ø5.0	35.0
2360-4032S	Ø4.0	32.5	2360-5037S	Ø5.0	37.5
2360-4035S	Ø4.0	35.0	2360-5040S	Ø5.0	40.0
2360-4037S	Ø4.0	37.5	2360-5042S	Ø5.0	42.5
2360-4040S	Ø4.0	40.0	2360-5045S	Ø5.0	45.0
2360-4042S	Ø4.0	42.5	2360-5047S	Ø5.0	47.5
2360-4045S	Ø4.0	45.0	2360-5050S	Ø5.0	50.0
2360-4047S	Ø4.0	47.5	2360-5052S	Ø5.0	52.5
2360-4050S	Ø4.0	50.0	2360-5055S	Ø5.0	55.0
2360-4052S	Ø4.0	52.5	2360-5057S	Ø5.0	57.5
2360-4055S	Ø4.0	55.0	2360-5060S	Ø5.0	60.0
2360-4057S	Ø4.0	57.5	2360-5065S	Ø5.0	65.0
2360-4060S	Ø4.0	60.0	2360-5070S	Ø5.0	70.0
			2360-5075S	Ø5.0	75.0
			2360-5080S	Ø5.0	80.0
			2360-5085S	Ø5.0	85.0
			2360-5090S	Ø5.0	90.0
			2360-5095S	Ø5.0	95.0
			2360-5100S	Ø5.0	100.0
			2360-5105S	Ø5.0	105.0
			2360-5110S	Ø5.0	110.0
			2360-5115S	Ø5.0	115.0
			2360-5120S	Ø5.0	120.0

*IMN Screws System

T2 Alpha Tibia



Advanced Locking Screw*

Ref #	Diameter (mm)	Length (mm)	Ref #	Diameter (mm)	Length (mm)
2361-4027S	Ø4.0	27.5	2361-5030S	Ø5.0	30.0
2361-4030S	Ø4.0	30.0	2361-5032S	Ø5.0	32.5
2361-4032S	Ø4.0	32.5	2361-5035S	Ø5.0	35.0
2361-4035S	Ø4.0	35.0	2361-5037S	Ø5.0	37.5
2361-4037S	Ø4.0	37.5	2361-5040S	Ø5.0	40.0
2361-4040S	Ø4.0	40.0	2361-5042S	Ø5.0	42.5
2361-4042S	Ø4.0	42.5	2361-5045S	Ø5.0	45.0
2361-4045S	Ø4.0	45.0	2361-5047S	Ø5.0	47.5
2361-4047S	Ø4.0	47.5	2361-5050S	Ø5.0	50.0
2361-4050S	Ø4.0	50.0	2361-5052S	Ø5.0	52.5
2361-4052S	Ø4.0	52.5	2361-5055S	Ø5.0	55.0
2361-4055S	Ø4.0	55.0	2361-5057S	Ø5.0	57.5
2361-4057S	Ø4.0	57.5	2361-5060S	Ø5.0	60.0
2361-4060S	Ø4.0	60.0	2361-5065S	Ø5.0	65.0
			2361-5070S	Ø5.0	70.0
			2361-5075S	Ø5.0	75.0
			2361-5080S	Ø5.0	80.0
			2361-5085S	Ø5.0	85.0
			2361-5090S	Ø5.0	90.0
			2361-5095S	Ø5.0	95.0
			2361-5100S	Ø5.0	100.0




























End Cap Lower Extremity and End Cap Tibia

Ref #	Diameter (mm)	Length (mm)
2330-0000S	Ø8.0	+0
2341-0005S	Ø11.5	+5
2341-0010S	Ø11.5	+10
2341-0015S	Ø11.5	+15
2341-0020S	Ø11.5	+20
2341-0025S	Ø11.5	+25


T2 Alpha Tibia – Instruments

Basic Long*

	Ref #	Description
	2351-0010	Curved Awl
	2351-0011	Awl Plug
	2351-0020	Reduction Rod
	2351-0030	Guide Wire Handle
	2351-0040	Ball Tip Screwdriver
	1806-0150	Strike Plate
	2351-0060	Slotted Hammer
	2351-0070	Tissue Protection Sleeve, Long
	2351-0100	Screwdriver Bit, Short
	2351-0101	Self-Retaining Screwdriver Sleeve, Short
	2351-0105	Screwdriver Bit, Medium
	2351-0106	Self-Retaining Screwdriver Sleeve, Medium
	2351-0110	Screwdriver Bit, Long
	2351-0140	Quick-Lock Delta Handle, Modified Trinkle
	2351-0150	Guided Depth Gauge
	2351-0160	Freehand Depth Gauge, Short
	2351-0170	Freehand Depth Gauge, Long
	2351-0180	Extraction Shaft
	2351-0340	Screw Scale
	2351-0380	Guide Wire Pusher
	2351-0400	Compression Screwdriver
	2351-0420	X-ray Ruler
	2351-4280	Locking Drill Sleeve, Long
	2351-4290	Locking Trocar, Long
	2355-5000	Basic Tray IMN Instruments
	2355-5005	Basic Tray Base IMN Instruments
	2355-5010	Basic Tray Insert IMN Instruments
	2355-5020	Upgrade Tray Insert IMN Instruments


T2 Alpha Tibia – Instruments

Optional Instruments*



Ref #	Description
2351-0145	Quick-lock T-handle, Modified Trinkle
2351-0370	Reamer Head Tray Insert
2355-5030	Drills and Pins Tray Insert
2351-0111	Self-Retaining Screwdriver Sleeve, Long
1806-0022	Guide Wire Ruler
1806-0110	Universal Rod, Ø9.0











Disposables*



Ref #	Description
2351-3028S	K-Wire, Ø3.0 × 285mm
2351-4236S	Locking Drill, Ø4.2 × 360mm
2351-3536S	Locking Drill, Ø3.5 × 360mm
2351-4213S	Freehand Drill, Ø4.2 × 130mm
2351-4218S	Freehand Drill, Ø4.2 × 185mm
2351-3513S	Freehand Drill, Ø3.5 × 130mm
2351-3518S	Freehand Drill, Ø3.5 × 185mm
2351-3240S	Drill-tip Recon K-Wire, Ø3.2 × 400mm
2351-3340S	Threaded Recon K-Wire, Ø3.2 × 400mm
2351-5500	Counterbore Drill, Short, Ø5.5 × 185mm
2351-5500S	Counterbore Drill, Short, Ø5.5 × 185mm, Sterile
2351-4500	Counterbore Drill, Short, Ø4.5 × 185mm
2351-4500S	Counterbore Drill, Short, Ø4.5 × 185mm, Sterile
2351-5510	Counterbore Drill, Long, Ø5.5 × 255mm
2351-5510S	Counterbore Drill, Long, Ø5.5 × 255mm, Sterile
2351-4510	Counterbore Drill, Long, Ø4.5 × 255mm
2351-4510S	Counterbore Drill, Long, Ø4.5 × 255mm, Sterile
2351-5515	Counterbore Drill, Manual, Ø5.5 × 280mm
2351-5515S	Counterbore Drill, Manual, Ø5.5 × 280mm, Sterile
2351-4515	Counterbore Drill, Manual, Ø4.5 × 280mm
2351-4515S	Counterbore Drill, Manual, Ø4.5 × 280mm, Sterile
1806-1406S	Elastic Nail Insertion Sleeve Elastic SPI, Ø8-11
1806-1407S	Elastic Nail Insertion Sleeve Elastic SPI, Ø8-13
1806-1417S	Fixation K-wire SPI, Ø3.0 × 285mm, WCH coated
1806-0080S	Guide Wire, Ball Tip, Ø3.0 × 800mm

T2 Alpha Tibia – Instruments

Tibia Indication Kit












Ref #	Description
	2351-0255 External Compression Device Tibia
	2353-4104 Nail Holding Screw Tibia / Femur PF
	2353-4103 Nail Adapter Tibia
	2353-4107 Targeting Arm Tibia
	2355-4000 Tibia Indication Tray
	2351-6000 Opening Reamer Handle
	2351-6112 Opening Reamer, Ø11.5
	2351-6212 Opening Reamer Sleeve, Ø11.5
	2351-6312 Opening Reamer Trocar, Ø11.5
	2355-0115 Opening Tray Insert, Ø11.5

T2 Alpha Tibia – Instruments

Tibia Distal Targeting Kit

Ref #	Description
	2353-4105 Adjusting device tibia
	2353-4106 Distal targeting arm tibia
	2353-4109 Adaptor tibia / femur retrograde
	2355-4050 Tibia Distal Targeting Tray

Tibia Suprapatellar Instruments

Ref #	Description
	2353-4113 Nail Adapter Tibia SPI
	2353-4114 Nail Holding Screw Tibia SPI
	2355-4010 SPI Tray Insert
	1806-1408 Drill Sleeve SPI, Ø8-11
	1806-1409 Drill Sleeve SPI, Ø8-13
	1806-1412 Modular Handle SPI
	1806-1414 Trocar SPI, Ø8 - 11
	1806-1415 Trocar SPI, Ø8 - 13
	1806-1416 Plug SPI
	1806-1400 Opening Drill SPI, Ø12.0
	1320-5395 Oblique Alignment Wire

Notes

Notes

Trauma & Extremities

This document is intended solely for the use of healthcare professionals. A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery.

The information presented is intended to demonstrate a Stryker product. A surgeon must always refer to the package insert, product label and/or instructions for use, including the instructions for Cleaning and Sterilization (if applicable), before using any Stryker product. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: Stryker, T2 Alpha. All other trademarks are trademarks of their respective owners or holders.

The products listed above are CE marked.

Content ID: T2-SCS-4_Rev-3, 09-2022
Copyright © 2022 Stryker



Manufacturer:

Stryker Trauma GmbH
Prof.-Küntschner-Str. 1-5
24232 Schönkirchen
Germany

stryker.com